



# Classic filament LEDbulbs

## LED classic 25W G93 E27 GOLD SP D SRT4

Featuring a classic heritage design, Classic filament LEDbulbs combine the familiar shapes of classic incandescent bulbs with the benefits of the long lasting LED technology. They deliver beautiful, decorative warm-white light while saving around 90% on energy costs compared with traditional light bulbs.

### Product data

| General Information                   |                    |
|---------------------------------------|--------------------|
| Lighting Technology                   | LED                |
| Switching Cycle                       | 20,000             |
| Rated Lifetime (Hours)                | 15,000 hour(s)     |
| Nominal lifetime                      | 15,000 hour(s)     |
| Cap-Base                              | E27 [E27]          |
| Light Technical                       |                    |
| Color Code                            | 818 [CCT of 1800K] |
| Color Code                            | 818 [CCT of 1800K] |
| Luminous Flux                         | 250 lumen          |
| Color Designation                     | 1800               |
| Correlated Color Temperature (Nom)    | 1800 K             |
| Luminous Efficacy (rated) (Nom)       | 62.00 lm/W         |
| Color Consistency                     | <6                 |
| Color rendering index (CRI)           | 80                 |
| LLMF At End Of Nominal Lifetime (Nom) | 70 %               |
| Flickering value (PstLM)              | 1                  |
| Stroboscopic effect value (SVM)       | 0.4                |


| Operating and Electrical  |             |
|---------------------------|-------------|
| Line Frequency            | 50 to 60 Hz |
| Input Frequency           | 50 to 60 Hz |
| Power Consumption         | 4 W         |
| Lamp Current (Nom)        | 24 mA       |
| Wattage Equivalent        | 25 W        |
| Starting Time (Nom)       | 0.5 s       |
| Warm-up time to 60% light | 0.5 s       |
| Power Factor (Fraction)   | 0.7         |
| Voltage (Nom)             | 220-240 V   |
| Temperature               |             |
| T-Case Maximum (Nom)      | 35 °C       |
| Controls and Dimming      |             |
| Dimmable                  | Yes         |
| Mechanical and Housing    |             |
| Bulb Finish               | Amber       |

Classic filament LEDbulbs

|                               |                 |
|-------------------------------|-----------------|
| Bulb Shape                    | G93 [G 93mm]    |
| Approval and Application      |                 |
| Energy Consumption kWh/1000 h | 4 kWh           |
| CE mark                       | Yes             |
| EU RoHS compliant             | Yes             |
| Product Data                  |                 |
| Full product code             | 871951431547100 |


|                                 |  |
|---------------------------------|--|
| Order product name              | LED classic 25W G93 E27 GOLD SP D SRT4 |
| Order code                      | 929002983001                           |
| Numerator - Quantity Per Pack   | 1                                      |
| Numerator - Packs per outer box | 4                                      |
| Material number (12NC)          | 929002983001                           |
| Full product name               | LED classic 25W G93 E27 GOLD SP D SRT4 |
| EAN/UPC - Case                  | 8719514315488                          |

Dimensional drawing




| Product                                | D     | C      |
|--|-------|--------|
| LED classic 25W G93 E27 GOLD SP D SRT4 | 96 mm | 143 mm |

Photometric data




Light Distribution Diagram - LED classic 25W G93 E27 GOLD SP D SRT4



General uniform lighting - LED classic 25W G93 E27 GOLD SP D SRT4

Classic filament LEDbulbs

Photometric data



Spectral Power Distribution Colour - LED classic 25W G93 E27 GOLD SP D SRT4

Lifetime



Life Expectancy Diagram - LED classic 25W G93 E27 GOLD SP D SRT4



Lumen Maintenance Diagram - LED classic 25W G93 E27 GOLD SP D SRT4

